	Hits	Search Text	DBs
1	642	central$5 and (dictionar$3 or list$1 or catalog$1 or categor$5) and ((unique or distinct or different) near5 (inquir$3 or quer$4 or question$1)) and ((subject$1 near4 group$1) or categor$3) and @ad < "19991118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
2	50	S2 and (rule$1 near5 database$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
3	29	S3 and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
4	3	S4 and ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
5	0	S5 and (ini$1 adj file$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
6	3	S5 and registr$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
7	3	S7 and structure$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	3	S8 and (date$1 or time or size$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
9	3	(("6259446") or ("6338149") or ("6233545")).PN.	USPAT
10	1	central$5 and (dictionar$3 with (unique or different) with (inquir$3 or quer$3)) and (group$5 or categor$5 or classif$5 or vector$5) and (subject$1 or topic$1) and (state adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
11	12	central$5 and ((dictionar$3 or list$1) with (unique or different) with (inquir$3 or quer$3)) and (group$5 or categor$5 or classif$5 or vector$5) and (subject$1 or topic$1) and (state adj (data or information))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
12	8	S11 and @ad < "19991118"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
13	6	S12 and (rule$1 with data$1base$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
14	0	S14 and ascii	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
15	0	S14 and registry	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
16	0	S14 and int	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB
17	6	S13 and server$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB